

# Midwest Color Guard Circuit

## 2010 Contest Host Application

**Applications must be received via USPS mail with a postmark OR pdf file scanned with signature no later than July 1, 2009.**

Hosting Unit \_\_\_\_\_

Contest Site \_\_\_\_\_

Contact Person(s) \_\_\_\_\_

Street Address \_\_\_\_\_

City, State, Zip Code \_\_\_\_\_

Phone(s) \_\_\_\_\_

Email(s) \_\_\_\_\_

Available 2010 Dates: January 23, 24, 30, 31, February 6, 7, 13, 14, 20, 21, 27, 28, March 6, 7, 13, 14, 20, 21 - March 28 & 29: MWCGC Championships

Please list your top 3 choices in order of preference from dates listed above to host a contest:

1st Choice \_\_\_\_\_

2nd Choice \_\_\_\_\_

3rd Choice \_\_\_\_\_

\_\_\_\_\_  
Signature Title/Position

\_\_\_\_\_  
Name above printed Date

Please complete all three (3) pages of the application and return to:

Mickey Stisher  
MWCGC Contest Director  
492 W. Curtis Dr.  
LaPorte, IN 46350

# Midwest Color Guard Circuit

## 2010 Contest Host Application

### PLEASE PROVIDE ALL REQUESTED INFORMATION!

Contest Site \_\_\_\_\_

Street Address \_\_\_\_\_

City, State Zip Code \_\_\_\_\_

What hours do you have access to the facility on contest day? \_\_\_\_\_

Are there other events taking place in the facility during these hours? If yes, describe in detail:

---

---

### PROP FACILITIES

Describe prop unloading & reloading doors (Size in inches, single/double door, middle bar, any obstructions – PLEASE NOTE THAT WGI RULES REQUIRE A MINIMUM OF 36” DOORS): \_\_\_\_\_

---

---

Describe prop storage area: \_\_\_\_\_

---

---

Will there be an area where units can fold their floor after performing? Yes or No? If yes, please describe: \_\_\_\_\_

---

---

**GUARD PERSONAL STORAGE FACILITIES**

Please describe area(s) units will be able to store their personal items during the contest (home rooms, cafeteria, halls): \_\_\_\_\_  
\_\_\_\_\_

**WARM-UP FACILITIES**

Please describe the warm-up facilities: \_\_\_\_\_  
\_\_\_\_\_

**PERFORMANCE AREA FACILITIES**

WGI RULES SPECIFY THAT THE COMPETITION AREA SHALL BE 60' x 90' WITH 5' SAFETY ZONE ON BOTH SIDES AND THE BACK. The preference of the MWCGC is to hold shows in facilities that meet this requirement. Smaller facilities will be considered. However, host applicants must understand that some units may choose to not enter such shows due to competition area restrictions.

Size in feet of available performance area: \_\_\_\_\_ ft. X \_\_\_\_\_ ft.

Front side seating capacity: \_\_\_\_\_ Back side seating capacity: \_\_\_\_\_

No. of front side bleacher rows: \_\_\_\_\_ No. of back side bleacher rows: \_\_\_\_\_

Describe entry & exit doors for performers and props (Size in inches, single/double door, middle bar, any obstructions): \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Will a vertical or horizontal timeline be appropriate? \_\_\_\_\_

**CONTEST SITE AREAS & FLOW**

Include a map/diagram of the facility showing all contest areas including unit check-in, prop unloading, spectator entrance, concessions, judge/critique room, prop storage, unit personal item storage area, warm-up, floor re-folding, performance entry & exit, etc.